© 2024-08 Arthrex, Inc. (USA) LF1-000128-en-US_C. To order, call (800) 934-4404.



Patient Information:

Date:	
Hospital:	
Surgeon:	

QTY	PRODUCT #	HOLES	LOT#	UDI	Į.
	3012-003	3			H
	3012-005	5			(
	3012-008	8			Ć
	3012-011	11			
	3012-014	14			

QTY	PRODUCT #	HOLES	LOT#	UDI	60 3
	3024-004	4			
	3024-005	5			
	3024-007	7			O
	3024-011	11			A
	3024-014	14			
	3024-016	16			
	3024-018	18			

95° Proximal Humeral Plate

	Toximu nume	Turriate		
QTY	PRODUCT #	HOLES	LOT#	UDI
	3022-003	3		
	3022-005	5		



QTY	PRODUCT #	HOLES	LOT#	UDI
	3025-004	4		
	3025-005	5		
	3025-007	7		
	3025-011	11		
	3025-014	14		
	3025-016	16		
	3025-018	18		



© 2024-08 Arthrex, Inc. (USA) LF1-000128-en-US_C. To order, call (800) 934-4404.



	_	 	 	 -
Date:				
Hospital:				
Surgeon:				

Arthre

Cortical Bone Screws, 3.5 mm

PRODUCT #	LENGTH	LOT#	UDI	
8110-020	20 mm			
8110-022	22 mm			
8110-024	24 mm			
8110-026	26 mm			
8110-028	28 mm			
8110-030	30 mm			
8110-032	32 mm			
8110-035	35 mm			
8110-040	40 mm			
8110-045	45 mm			
	8110-020 8110-022 8110-024 8110-026 8110-028 8110-030 8110-032 8110-035 8110-040	8110-020 20 mm 8110-022 22 mm 8110-024 24 mm 8110-026 26 mm 8110-028 28 mm 8110-030 30 mm 8110-032 32 mm 8110-035 35 mm 8110-040 40 mm	8110-020 20 mm 8110-022 22 mm 8110-024 24 mm 8110-026 26 mm 8110-028 28 mm 8110-030 30 mm 8110-032 32 mm 8110-035 35 mm 8110-040 40 mm	8110-020 20 mm Image: State S

Locking Screws, 3.5 mm

	J ,				
QTY	PRODUCT #	LENGTH	LOT#	UDI	T
	8114-020	20 mm			
	8114-022	22 mm			
	8114-024	24 mm			
	8114-026	26 mm			
	8114-028	28 mm			
	8114-030	30 mm			
	8114-032	32 mm			
	8114-034	34 mm			
	8114-036	36 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

© 2024-08 Arthrex, Inc. (USA) LF1-000128-en-US_C. To order, call (800) 934-4404.

Patient Information:

Date:	_
Hospital:	
Surgeon:	

Arthre

Cancellous Locking Screw, Fully Threaded, 4 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI	THAT
	8124-022	22 mm			
	8124-024	24 mm			
	8124-026	26 mm			8
	8124-028	28 mm			
	8124-030	30 mm			
	8124-032	32 mm			
	8124-034	34 mm			
	8124-036	36 mm			
	8124-038	38 mm			
	8124-040	40 mm			
	8124-042	42 mm			
	8124-044	44 mm			
	8124-046	46 mm			
	8124-048	48 mm			
	8124-050	50 mm			
	8124-052	52 mm			
	8124-054	54 mm			
	8124-056	56 mm			
	8124-058	58 mm			
	8124-060	60 mm			
	8124-065	65 mm			
	8124-070	70 mm			

Cancellous Locking Screw, Partially Threaded, 4 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI	
	8128-022	22 mm			
	8128-024	24 mm			HUNDING
	8128-026	26 mm			8
	8128-028	28 mm			
	8128-030	30 mm			
	8128-032	32 mm			
	8128-034	34 mm			
	8128-036	36 mm			
	8128-038	38 mm			
	8128-040	40 mm			
	8128-042	42 mm			
	8128-044	44 mm			
	8128-046	46 mm			
	8128-048	48 mm			
	8128-050	50 mm			
	8128-052	52 mm			
	8128-054	54 mm			
	8128-056	56 mm			
	8128-058	58 mm			
	8128-060	60 mm			
	8128-065	65 mm			
	8128-070	70 mm			

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

© 2024-08 Arthrex, Inc. (USA) LF1-000128-en-US_C. To order, call (800) 934-4404.



Patient Information:

Date:			
Hospital:			
Surgeon:			

Disposables

QTY	PRODUCT #	DESCRIPTION	LOT#	UDI
	0102-150	Trocar tip guidewire, 2 mm × 150 mm		
	0226-100	Cortical tap, A0 style, 3.5 mm		
	0237-200	Calibrated drill, AO style, 2.5 mm × 95 mm		
	0250-000	Calibrated drill, long, 2.5 mm × 130 mm		
	0254-000	Calibrated step drill, A0 style, 3.5 mm/2.5 mm × 130 mm		
	0255-200	Cancellous tap, AO style, 3.5 mm		