

Hip Arthroscopy


New Product & Technique Highlights




Arthrex® 

Knotless 1.8 Hip FiberTak[®] Soft Anchor, GEN2


Tensionable, Knotless Technology
for Optimal Labral Positioning



Pass It



Cinch It



Cut It




Knotless 1.8 Hip
FiberTak soft
anchor, GEN2

Key Features and Benefits

- **New GEN2 Anchor:** Enhanced #2 repair suture with improved handling characteristics and a thicker inserter for easier insertion
- **Small and Curved:** Can be inserted into a 1.8 mm socket; available with straight and curved drill guides
- **Low Profile:** No knot stack near the capsulolabral junction reduces the risk of suture impingement in the surrounding soft tissues
- **Controlled Anatomic Tensioning:** Labral eversion is limited with the adjustable suture

Curved, crown tip



Straight, crown tip




Straight, fork tip



Knotless Compression Bridge Technique

Using the Gluteus Medius Tendon
Repair Implant System

Knotless 2.6 FiberTak® Anchors



Bridging technique enhances
footprint compression to
maximize tendon-to-bone healing


With Our Trusted
Tensionable, Knotless
Anchor Technology

Hip SpeedBridge™ Implant System

For Proximal Hamstring Tendon Repair

Low-profile,
knotless
construct


Contains all the
items necessary to
complete a repair
of a fully avulsed
proximal hamstring
tendon



AVN Expandable Reamer

For Core Decompression


- Expandable blade allows for intralesional adjustment of the blade-cutting diameter from 6 mm to 18 mm
- 5 mm shaft requires minimal bone removal to reach the decompression site
- Torque limiter reduces excessive force on the blade



LoopLoc™ Knotless Implant

For Hip Capsular Closure


- Creates a strong, low-profile, knotless repair construct
- Eliminates prominent knot stacks



Loaded on a step-by-step suture management card for ease of use


CapsuleStitch™ Suture Passer

For Hip Capsular Closure



Designed to arthroscopically close the hip capsule through a single portal

- 2.3 mm outer diameter and 70° bend
- 45 mm minimum suture throw underneath the hip capsule
- 7 mm extended reach during suture retrieval
- Compatible with #2 FiberWire® suture, 1.3 mm SutureTape and LoopLoc™ knotless implants




HDS Traction Boot II and Postless Pad

Next-Generation Technology for the Hip Distraction System (HDS)

Designed to fit all existing HDS hardware and disposables



- Postless pad provides additional support during supine hip arthroscopy procedures performed without a perineal post



- New and improved traction boot is universal, simplifies setup, and ensures a secure foot hold during hip arthroscopy procedures

Products may not be available in all markets because product availability is subject to the regulatory approvals and medical practices in individual markets. Please contact your Arthrex representative if you have questions about the availability of products in your area.

arthrex.com

© 2023-02 Arthrex, Inc. All rights reserved. evBR1-002490-en-US_D

