

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:


Date: _____

Hospital: _____

Surgeon: _____


Posterolateral Distal Tibia Plates, Left

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943PLTL-04	4			
	AR-9943PLTL-06	6			
	AR-9943PLTL-08	8			



Posterolateral Distal Tibia Plates, Right

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943PLTR-04	4			
	AR-9943PLTR-06	6			
	AR-9943PLTR-08	8			



Posteromedial Distal Tibia Plates, Left

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943PMTL-04	4			
	AR-9943PMTL-06	6			
	AR-9943PMTL-08	8			



Posteromedial Distal Tibia Plates, Right

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943PMTR-04	4			
	AR-9943PMTR-06	6			
	AR-9943PMTR-08	8			



Locking Distal Fibula Plates, Left

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943BL-04	4			
	AR-9943BL-05	5			
	AR-9943BL-06	6			
	AR-9943BL-08	8			
	AR-9943BL-10	10			
	AR-9943BL-12	12			
	AR-9943BL-14	14			



Locking Distal Fibula Plates, Right

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943BR-04	4			
	AR-9943BR-05	5			
	AR-9943BR-06	6			
	AR-9943BR-08	8			
	AR-9943BR-10	10			
	AR-9943BR-12	12			
	AR-9943BR-14	14			



Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Locking Straight Plates

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943C-04	4			
	AR-9943C-06	6			
	AR-9943C-07	7			
	AR-9943C-08	8			
	AR-9943C-10	10			
	AR-9943C-12	12			



Locking Third Tubular Plates

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943T-04	4			
	AR-9943T-05	5			
	AR-9943T-06	6			
	AR-9943T-07	7			
	AR-9943T-08	8			
	AR-9943T-10	10			
	AR-9943T-12	12			



Titanium Posterolateral Fibula Plates – Anatomic, Left

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9963APLL-04	4			
	AR-9963APLL-06	6			
	AR-9963APLL-08	8			
	AR-9963APLL-10	10			



Titanium Posterolateral Fibula Plates – Anatomic, Right

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9963APLR-04	4			
	AR-9963APLR-06	6			
	AR-9963APLR-08	8			
	AR-9963APLR-10	10			



Titanium Posterolateral Fibula Plates – Straight

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9963PLL-04	4			
	AR-9963PLL-05	5			
	AR-9963PLL-06	6			
	AR-9963PLL-08	8			
	AR-9963PLL-10	10			



This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404






Patient Information:

Date: _____

Hospital: _____




Surgeon: _____

Titanium Medial Hook Plates

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943H-03	3			
	AR-9943H-05	5			
	AR-9943H-07	7			




Titanium Lateral Hook Plates

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943TH-03	3			
	AR-9943TH-05	5			
	AR-9943TH-07	7			



Titanium Vertical Shear Distal Tibia Plate

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-9943VS-04	4			



Two-Hole Buttress Plate, Titanium, sterile

QTY	PRODUCT #	HOLES	PRICE	LOT#	UDI
	AR-8959-02S	2			



Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Variable Angle Locking (VAL) Screws, 3.0 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8933V-10	10 mm		
	AR-8933V-12	12 mm		
	AR-8933V-14	14 mm		
	AR-8933V-16	16 mm		
	AR-8933V-18	18 mm		
	AR-8933V-20	20 mm		
	AR-8933V-22	22 mm		
	AR-8933V-24	24 mm		
	AR-8933V-26	26 mm		
	AR-8933V-28	28 mm		
	AR-8933V-30	30 mm		
	AR-8933V-32	32 mm		

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8933V-34	34 mm		
	AR-8933V-36	36 mm		
	AR-8933V-38	38 mm		
	AR-8933V-40	40 mm		
	AR-8933V-42	42 mm		
	AR-8933V-44	44 mm		
	AR-8933V-46	46 mm		
	AR-8933V-48	48 mm		
	AR-8933V-50	50 mm		
	AR-8933V-55	55 mm		
	AR-8933V-60	60 mm		

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Low Profile Screws (LPS), 3.0 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8933-10	10 mm		
	AR-8933-12	12 mm		
	AR-8933-14	14 mm		
	AR-8933-16	16 mm		
	AR-8933-18	18 mm		
	AR-8933-20	20 mm		
	AR-8933-22	22 mm		
	AR-8933-24	24 mm		
	AR-8933-26	26 mm		
	AR-8933-28	28 mm		
	AR-8933-30	30 mm		
	AR-8933-32	32 mm		

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8933-34	34 mm		
	AR-8933-36	36 mm		
	AR-8933-38	38 mm		
	AR-8933-40	40 mm		
	AR-8933-42	42 mm		
	AR-8933-44	44 mm		
	AR-8933-46	46 mm		
	AR-8933-48	48 mm		
	AR-8933-50	50 mm		
	AR-8933-55	55 mm		
	AR-8933-60	60 mm		

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Low Profile Screws (LPS), 3.5 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8935-10	10 mm		
	AR-8935-12	12 mm		
	AR-8935-14	14 mm		
	AR-8935-16	16 mm		
	AR-8935-18	18 mm		
	AR-8935-20	20 mm		
	AR-8935-22	22 mm		
	AR-8935-24	24 mm		
	AR-8935-26	26 mm		
	AR-8935-28	28 mm		
	AR-8935-30	30 mm		
	AR-8935-32	32 mm		
	AR-8935-34	34 mm		
	AR-8935-36	36 mm		
	AR-8935-38	38 mm		
	AR-8935-40	40 mm		
	AR-8935-42	42 mm		
	AR-8935-44	44 mm		

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8935-46	46 mm		
	AR-8935-48	48 mm		
	AR-8935-50	50 mm		
	AR-8935-52	52 mm		
	AR-8935-54	54 mm		
	AR-8935-56	56 mm		
	AR-8935-58	58 mm		
	AR-8935-60	60 mm		
	AR-8935-65	65 mm		
	AR-8935-70	70 mm		
	AR-8935-75	75 mm		
	AR-8935-80	80 mm		
	AR-8935-85	85 mm		
	AR-8935-90	90 mm		
	AR-8935-95	95 mm		
	AR-8935-100	100 mm		
	AR-8935-105	105 mm		
	AR-8935-110	110 mm		

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Low Profile Screws (LPS), Locking, 3.5 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8935L-10	10 mm		
	AR-8935L-12	12 mm		
	AR-8935L-14	14 mm		
	AR-8935L-16	16 mm		
	AR-8935L-18	18 mm		
	AR-8935L-20	20 mm		
	AR-8935L-22	22 mm		
	AR-8935L-24	24 mm		
	AR-8935L-26	26 mm		
	AR-8935L-28	28 mm		
	AR-8935L-30	30 mm		
	AR-8935L-32	32 mm		

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8935L-34	34 mm		
	AR-8935L-36	36 mm		
	AR-8935L-38	38 mm		
	AR-8935L-40	40 mm		
	AR-8935L-42	42 mm		
	AR-8935L-44	44 mm		
	AR-8935L-46	46 mm		
	AR-8935L-48	48 mm		
	AR-8935L-50	50 mm		
	AR-8935L-55	55 mm		
	AR-8935L-60	60 mm		

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404











Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Low Profile Screws (LPS), 4.0 mm

QTY	PRODUCT #	LENGTH	LOT#	UDI
	AR-8940-10	10 mm		
	AR-8940-12	12 mm		
	AR-8940-14	14 mm		
	AR-8940-16	16 mm		
	AR-8940-18	18 mm		
	AR-8940-20	20 mm		
	AR-8940-22	22 mm		
	AR-8940-24	24 mm		

QuickFix™ Screws, Cannulated, Cancellous, 4.0 mm

QTY	PRODUCT #	SIZE	LOT#	UDI
	AR-8740-30PTS	30 mm		
	AR-8740-32PTS	32 mm		
	AR-8740-34PTS	34 mm		
	AR-8740-36PTS	36 mm		
	AR-8740-38PTS	38 mm		
	AR-8740-40PTS	40 mm		
	AR-8740-42PTS	42 mm		
	AR-8740-44PTS	44 mm		
	AR-8740-46PTS	46 mm		
	AR-8740-48PTS	48 mm		
	AR-8740-50PTS	50 mm		
	AR-8740-52PTS	52 mm		
	AR-8740-54PTS	54 mm		
	AR-8740-55PTS	55 mm		
	AR-8740-56PTS	56 mm		
	AR-8740-58PTS	58 mm		
	AR-8740-60PTS	60 mm		
	AR-8740-65PTS	65 mm		
	AR-8740-70PTS	70 mm		
	AR-8740-75PTS	75 mm		
	AR-8740-80PTS	80 mm		

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2022-12 Arthrex, Inc. (USA) LF1-00009-en-US_F. To order, call: (800) 934-4404



Patient Information:

Date: _____

Hospital: _____

Surgeon: _____

Instruments and Disposables

QTY	PRODUCT #	DESCRIPTION	LOT#	UDI
	AR-13226T	BB-Tak, threaded, qty. 2		
	AR-13226	BB-Tak, qty. 2		
	AR-8943-16	Drill Bit, 2.0 mm, qty. 2		
	AR-8963-05	Drill Bit, calibrated, long, 2.0 mm, qty. 2		
	AR-8943-30	Drill Bit, 2.5 mm, qty. 2		
	AR-8943-02	Drill Bit, cannulated, 2.6 mm, qty. 2		
	AR-8943-42	Drill Bit, 3.5 mm/4.0 mm, qty. 2		
	AR-8943-36	Drill Bit, 3.0 mm, qty. 2		
	AR-4160-35	Drill Bit, 3.5 mm, qty. 2		
	AR-8943-05	Countersink, cannulated, 4.0 mm		
	AR-8950-03	Countersink, 3.5 mm/4.0 mm		
	AR-8943-38	Guidewire w/ Trocar Tip, threaded, 1.35 mm		
	AR-8943-01	Guidewire w/ Trocar Tip, 1.35 mm		
	AR-8941K	Guidewire w/ Trocar Tip, 1.6 mm		
	AR-8945K	Guidewire w/ Trocar Tip, 2.0 mm		
	AR-8740W	Washer, 7.0 mm		