

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:


Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_


## Posterolateral Distal Tibia Plates, Left

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9943PLTL-04 | 4     |       |      |     |
|     | AR-9943PLTL-06 | 6     |       |      |     |
|     | AR-9943PLTL-08 | 8     |       |      |     |



## Posterolateral Distal Tibia Plates, Right

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9943PLTR-04 | 4     |       |      |     |
|     | AR-9943PLTR-06 | 6     |       |      |     |
|     | AR-9943PLTR-08 | 8     |       |      |     |



## Posteromedial Distal Tibia Plates, Left

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9943PMTL-04 | 4     |       |      |     |
|     | AR-9943PMTL-06 | 6     |       |      |     |
|     | AR-9943PMTL-08 | 8     |       |      |     |



## Posteromedial Distal Tibia Plates, Right

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9943PMTR-04 | 4     |       |      |     |
|     | AR-9943PMTR-06 | 6     |       |      |     |
|     | AR-9943PMTR-08 | 8     |       |      |     |



## Locking Distal Fibula Plates, Left

| QTY | PRODUCT #    | HOLES | PRICE | LOT# | UDI |
|-----|--------------|-------|-------|------|-----|
|     | AR-9943BL-04 | 4     |       |      |     |
|     | AR-9943BL-05 | 5     |       |      |     |
|     | AR-9943BL-06 | 6     |       |      |     |
|     | AR-9943BL-08 | 8     |       |      |     |
|     | AR-9943BL-10 | 10    |       |      |     |
|     | AR-9943BL-12 | 12    |       |      |     |
|     | AR-9943BL-14 | 14    |       |      |     |



## Locking Distal Fibula Plates, Right

| QTY | PRODUCT #    | HOLES | PRICE | LOT# | UDI |
|-----|--------------|-------|-------|------|-----|
|     | AR-9943BR-04 | 4     |       |      |     |
|     | AR-9943BR-05 | 5     |       |      |     |
|     | AR-9943BR-06 | 6     |       |      |     |
|     | AR-9943BR-08 | 8     |       |      |     |
|     | AR-9943BR-10 | 10    |       |      |     |
|     | AR-9943BR-12 | 12    |       |      |     |
|     | AR-9943BR-14 | 14    |       |      |     |



# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Locking Straight Plates

| QTY | PRODUCT #   | HOLES | PRICE | LOT# | UDI |
|-----|-------------|-------|-------|------|-----|
|     | AR-9943C-04 | 4     |       |      |     |
|     | AR-9943C-06 | 6     |       |      |     |
|     | AR-9943C-07 | 7     |       |      |     |
|     | AR-9943C-08 | 8     |       |      |     |
|     | AR-9943C-10 | 10    |       |      |     |
|     | AR-9943C-12 | 12    |       |      |     |
|     |             |       |       |      |     |



## Locking Third Tubular Plates

| QTY | PRODUCT #   | HOLES | PRICE | LOT# | UDI |
|-----|-------------|-------|-------|------|-----|
|     | AR-9943T-04 | 4     |       |      |     |
|     | AR-9943T-05 | 5     |       |      |     |
|     | AR-9943T-06 | 6     |       |      |     |
|     | AR-9943T-07 | 7     |       |      |     |
|     | AR-9943T-08 | 8     |       |      |     |
|     | AR-9943T-10 | 10    |       |      |     |
|     | AR-9943T-12 | 12    |       |      |     |



## Titanium Posterolateral Fibula Plates – Anatomic, Left

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9963APLL-04 | 4     |       |      |     |
|     | AR-9963APLL-06 | 6     |       |      |     |
|     | AR-9963APLL-08 | 8     |       |      |     |
|     | AR-9963APLL-10 | 10    |       |      |     |



## Titanium Posterolateral Fibula Plates – Anatomic, Right

| QTY | PRODUCT #      | HOLES | PRICE | LOT# | UDI |
|-----|----------------|-------|-------|------|-----|
|     | AR-9963APLR-04 | 4     |       |      |     |
|     | AR-9963APLR-06 | 6     |       |      |     |
|     | AR-9963APLR-08 | 8     |       |      |     |
|     | AR-9963APLR-10 | 10    |       |      |     |



## Titanium Posterolateral Fibula Plates – Straight

| QTY | PRODUCT #     | HOLES | PRICE | LOT# | UDI |
|-----|---------------|-------|-------|------|-----|
|     | AR-9963PLL-04 | 4     |       |      |     |
|     | AR-9963PLL-05 | 5     |       |      |     |
|     | AR-9963PLL-06 | 6     |       |      |     |
|     | AR-9963PLL-08 | 8     |       |      |     |
|     | AR-9963PLL-10 | 10    |       |      |     |



This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404






Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_




Surgeon: \_\_\_\_\_

## Titanium Medial Hook Plates

| QTY | PRODUCT #   | HOLES | PRICE | LOT# | UDI   |
|-----|-------------|-------|-------|------|---|
|     | AR-9943H-03 | 3     |       |      |  |
|     | AR-9943H-05 | 5     |       |      |  |
|     | AR-9943H-07 | 7     |       |      |  |




## Titanium Lateral Hook Plates

| QTY | PRODUCT #    | HOLES | PRICE | LOT# | UDI   |
|-----|--------------|-------|-------|------|---|
|     | AR-9943TH-03 | 3     |       |      |  |
|     | AR-9943TH-05 | 5     |       |      |  |
|     | AR-9943TH-07 | 7     |       |      |  |



## Titanium Vertical Shear Distal Tibia Plate

| QTY | PRODUCT #    | HOLES | PRICE | LOT# | UDI   |
|-----|--------------|-------|-------|------|---|
|     | AR-9943VS-04 | 4     |       |      |  |



## Two-Hole Buttress Plate, Titanium, sterile

| QTY | PRODUCT #   | HOLES | PRICE | LOT# | UDI   |
|-----|-------------|-------|-------|------|---|
|     | AR-8959-02S | 2     |       |      |  |



# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Variable Angle Locking (VAL) Screws, 3.0 mm

| QTY | PRODUCT #   | LENGTH | LOT# | UDI   |
|-----|-------------|--------|------|---|
|     | AR-8933V-10 | 10 mm  |      |    |
|     | AR-8933V-12 | 12 mm  |      |    |
|     | AR-8933V-14 | 14 mm  |      |    |
|     | AR-8933V-16 | 16 mm  |      |    |
|     | AR-8933V-18 | 18 mm  |      |    |
|     | AR-8933V-20 | 20 mm  |      |    |
|     | AR-8933V-22 | 22 mm  |      |    |
|     | AR-8933V-24 | 24 mm  |      |   |
|     | AR-8933V-26 | 26 mm  |      |  |
|     | AR-8933V-28 | 28 mm  |      |  |
|     | AR-8933V-30 | 30 mm  |      |  |
|     | AR-8933V-32 | 32 mm  |      |  |

| QTY | PRODUCT #   | LENGTH | LOT# | UDI   |
|-----|-------------|--------|------|---|
|     | AR-8933V-34 | 34 mm  |      |    |
|     | AR-8933V-36 | 36 mm  |      |    |
|     | AR-8933V-38 | 38 mm  |      |    |
|     | AR-8933V-40 | 40 mm  |      |    |
|     | AR-8933V-42 | 42 mm  |      |    |
|     | AR-8933V-44 | 44 mm  |      |    |
|     | AR-8933V-46 | 46 mm  |      |    |
|     | AR-8933V-48 | 48 mm  |      |   |
|     | AR-8933V-50 | 50 mm  |      |  |
|     | AR-8933V-55 | 55 mm  |      |  |
|     | AR-8933V-60 | 60 mm  |      |  |
|     |             |        |      |   |

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Low Profile Screws (LPS), 3.0 mm

| QTY | PRODUCT #  | LENGTH | LOT# | UDI   |
|-----|------------|--------|------|---|
|     | AR-8933-10 | 10 mm  |      |    |
|     | AR-8933-12 | 12 mm  |      |    |
|     | AR-8933-14 | 14 mm  |      |    |
|     | AR-8933-16 | 16 mm  |      |    |
|     | AR-8933-18 | 18 mm  |      |    |
|     | AR-8933-20 | 20 mm  |      |    |
|     | AR-8933-22 | 22 mm  |      |    |
|     | AR-8933-24 | 24 mm  |      |   |
|     | AR-8933-26 | 26 mm  |      |  |
|     | AR-8933-28 | 28 mm  |      |  |
|     | AR-8933-30 | 30 mm  |      |  |
|     | AR-8933-32 | 32 mm  |      |  |

| QTY | PRODUCT #  | LENGTH | LOT# | UDI   |
|-----|------------|--------|------|---|
|     | AR-8933-34 | 34 mm  |      |    |
|     | AR-8933-36 | 36 mm  |      |    |
|     | AR-8933-38 | 38 mm  |      |    |
|     | AR-8933-40 | 40 mm  |      |    |
|     | AR-8933-42 | 42 mm  |      |    |
|     | AR-8933-44 | 44 mm  |      |    |
|     | AR-8933-46 | 46 mm  |      |    |
|     | AR-8933-48 | 48 mm  |      |   |
|     | AR-8933-50 | 50 mm  |      |  |
|     | AR-8933-55 | 55 mm  |      |  |
|     | AR-8933-60 | 60 mm  |      |  |
|     |            |        |      |   |

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Low Profile Screws (LPS), 3.5 mm

| QTY | PRODUCT #  | LENGTH | LOT# | UDI   |
|-----|------------|--------|------|---|
|     | AR-8935-10 | 10 mm  |      |    |
|     | AR-8935-12 | 12 mm  |      |    |
|     | AR-8935-14 | 14 mm  |      |    |
|     | AR-8935-16 | 16 mm  |      |    |
|     | AR-8935-18 | 18 mm  |      |    |
|     | AR-8935-20 | 20 mm  |      |    |
|     | AR-8935-22 | 22 mm  |      |    |
|     | AR-8935-24 | 24 mm  |      |   |
|     | AR-8935-26 | 26 mm  |      |  |
|     | AR-8935-28 | 28 mm  |      |  |
|     | AR-8935-30 | 30 mm  |      |  |
|     | AR-8935-32 | 32 mm  |      |  |
|     | AR-8935-34 | 34 mm  |      |  |
|     | AR-8935-36 | 36 mm  |      |  |
|     | AR-8935-38 | 38 mm  |      |  |
|     | AR-8935-40 | 40 mm  |      |  |
|     | AR-8935-42 | 42 mm  |      |  |
|     | AR-8935-44 | 44 mm  |      |  |

| QTY | PRODUCT #   | LENGTH | LOT# | UDI   |
|-----|-------------|--------|------|---|
|     | AR-8935-46  | 46 mm  |      |    |
|     | AR-8935-48  | 48 mm  |      |    |
|     | AR-8935-50  | 50 mm  |      |    |
|     | AR-8935-52  | 52 mm  |      |    |
|     | AR-8935-54  | 54 mm  |      |    |
|     | AR-8935-56  | 56 mm  |      |    |
|     | AR-8935-58  | 58 mm  |      |    |
|     | AR-8935-60  | 60 mm  |      |   |
|     | AR-8935-65  | 65 mm  |      |  |
|     | AR-8935-70  | 70 mm  |      |  |
|     | AR-8935-75  | 75 mm  |      |  |
|     | AR-8935-80  | 80 mm  |      |  |
|     | AR-8935-85  | 85 mm  |      |  |
|     | AR-8935-90  | 90 mm  |      |  |
|     | AR-8935-95  | 95 mm  |      |  |
|     | AR-8935-100 | 100 mm |      |  |
|     | AR-8935-105 | 105 mm |      |  |
|     | AR-8935-110 | 110 mm |      |  |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Low Profile Screws (LPS), Locking, 3.5 mm

| QTY | PRODUCT #   | LENGTH | LOT# | UDI   |
|-----|-------------|--------|------|---|
|     | AR-8935L-10 | 10 mm  |      |    |
|     | AR-8935L-12 | 12 mm  |      |    |
|     | AR-8935L-14 | 14 mm  |      |    |
|     | AR-8935L-16 | 16 mm  |      |    |
|     | AR-8935L-18 | 18 mm  |      |    |
|     | AR-8935L-20 | 20 mm  |      |    |
|     | AR-8935L-22 | 22 mm  |      |    |
|     | AR-8935L-24 | 24 mm  |      |   |
|     | AR-8935L-26 | 26 mm  |      |  |
|     | AR-8935L-28 | 28 mm  |      |  |
|     | AR-8935L-30 | 30 mm  |      |  |
|     | AR-8935L-32 | 32 mm  |      |  |

| QTY | PRODUCT #   | LENGTH | LOT# | UDI   |
|-----|-------------|--------|------|---|
|     | AR-8935L-34 | 34 mm  |      |    |
|     | AR-8935L-36 | 36 mm  |      |    |
|     | AR-8935L-38 | 38 mm  |      |    |
|     | AR-8935L-40 | 40 mm  |      |    |
|     | AR-8935L-42 | 42 mm  |      |    |
|     | AR-8935L-44 | 44 mm  |      |    |
|     | AR-8935L-46 | 46 mm  |      |    |
|     | AR-8935L-48 | 48 mm  |      |   |
|     | AR-8935L-50 | 50 mm  |      |  |
|     | AR-8935L-55 | 55 mm  |      |  |
|     | AR-8935L-60 | 60 mm  |      |  |

# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404











Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Low Profile Screws (LPS), 4.0 mm

| QTY | PRODUCT #  | LENGTH | LOT# | UDI   |
|-----|------------|--------|------|---|
|     | AR-8940-10 | 10 mm  |      |    |
|     | AR-8940-12 | 12 mm  |      |    |
|     | AR-8940-14 | 14 mm  |      |    |
|     | AR-8940-16 | 16 mm  |      |    |
|     | AR-8940-18 | 18 mm  |      |    |
|     | AR-8940-20 | 20 mm  |      |    |
|     | AR-8940-22 | 22 mm  |      |   |
|     | AR-8940-24 | 24 mm  |      |  |

## QuickFix™ Screws, Cannulated, Cancellous, 4.0 mm

| QTY | PRODUCT #     | SIZE  | LOT# | UDI   |
|-----|---------------|-------|------|---|
|     | AR-8740-30PTS | 30 mm |      |    |
|     | AR-8740-32PTS | 32 mm |      |    |
|     | AR-8740-34PTS | 34 mm |      |    |
|     | AR-8740-36PTS | 36 mm |      |    |
|     | AR-8740-38PTS | 38 mm |      |    |
|     | AR-8740-40PTS | 40 mm |      |    |
|     | AR-8740-42PTS | 42 mm |      |   |
|     | AR-8740-44PTS | 44 mm |      |  |
|     | AR-8740-46PTS | 46 mm |      |  |
|     | AR-8740-48PTS | 48 mm |      |  |
|     | AR-8740-50PTS | 50 mm |      |  |
|     | AR-8740-52PTS | 52 mm |      |  |
|     | AR-8740-54PTS | 54 mm |      |  |
|     | AR-8740-55PTS | 55 mm |      |  |
|     | AR-8740-56PTS | 56 mm |      |  |
|     | AR-8740-58PTS | 58 mm |      |  |
|     | AR-8740-60PTS | 60 mm |      |  |
|     | AR-8740-65PTS | 65 mm |      |  |
|     | AR-8740-70PTS | 70 mm |      |  |
|     | AR-8740-75PTS | 75 mm |      |  |
|     | AR-8740-80PTS | 80 mm |      |  |

This document may contain privileged and confidential information and/or protected health information (PHI) intended solely for the use of the recipient(s) named above. If you are not the recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any review, dissemination, distribution, printing or copying of this document is strictly prohibited. If you have received this transmission in error, please notify the sender immediately and permanently delete/destroy this document.



# Inventory Control Form: Titanium Ankle Fracture System (AR-9943S)

© 2024-10 Arthrex, Inc. (USA) LF1-00009-en-US\_G. To order, call: (800) 934-4404



Patient Information:

Date: \_\_\_\_\_

Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

## Instruments and Disposables

| QTY | PRODUCT #  | DESCRIPTION                                 | LOT# | UDI |
|-----|------------|---|------|-----|
|     | AR-13226T  | BB-Tak, threaded, qty. 2                    |      |     |
|     | AR-13226   | BB-Tak, qty. 2                              |      |     |
|     | AR-8943-16 | Drill Bit, 2.0 mm, qty. 2                   |      |     |
|     | AR-8963-05 | Drill Bit, calibrated, long, 2.0 mm, qty. 2 |      |     |
|     | AR-8943-30 | Drill Bit, 2.5 mm, qty. 2                   |      |     |
|     | AR-8943-02 | Drill Bit, cannulated, 2.6 mm, qty. 2       |      |     |
|     | AR-8943-42 | Drill Bit, 2.5 mm, calibrated               |      |     |
|     | AR-8943-36 | Drill Bit, 3.0 mm, qty. 2                   |      |     |
|     | AR-4160-35 | Drill Bit, 3.5 mm, qty. 2                   |      |     |
|     | AR-8943-05 | Countersink, cannulated, 4.0 mm             |      |     |
|     | AR-8950-03 | Countersink, 3.5 mm/4.0 mm                  |      |     |
|     | AR-8943-38 | Guidewire w/ Trocar Tip, threaded, 1.35 mm  |      |     |
|     | AR-8943-01 | Guidewire w/ Trocar Tip, 1.35 mm            |      |     |
|     | AR-8941K   | Guidewire w/ Trocar Tip, 1.6 mm             |      |     |
|     | AR-8945K   | Guidewire w/ Trocar Tip, 2.0 mm             |      |     |
|     | AR-8740W   | Washer, 7.0 mm                              |      |     |